INDEX

Page numbers printed in black-faced type refer to headings of articles or of sections. Names in lists of "Literature Cited" are not included.

ABEGG, F. A. **270**, 272, 273, 275, 277, 570, 576, 577, 585
Acquired immunity in plants, 37
ABDERHALDEN, E., 38, 63
AGAR, W. E., 174
AIDA, TATUO, 175
ALTENBURG, E., 562
American Association for the Advancement of Science, 538
American Poultry Association, 269
American Society of Zoologists, 488
Amylase **571, 573,** 574
  Of waxy and non-waxy pollen, 577
  Of waxy and non-waxy seedlings, 571
  Of waxy and non-waxy seeds, 573
ANDERSON, E. G., 220, 488, 489, 492
Archesporium, 607
ARMSTRONG, E. F., 571
ASCOLI, M., 43
Autodigestion, 573
AVERY, A. G., 301, 562, 563, 566
AVERY, O. T., 66
AVERY, P., 305
Avian diptheria, 338

BACELLI, 40
Bacillary white diarrhea, 338
Bacillus pyocyaneus, 38
Bacteria
  Paratyphoid-enteritidis group, 364
  Percentage mortalities due to varying numbers, 347
BAIVY, A. 63
BAKER, J. L., 572, 579
Balanced,
  Chromosomal types of *Datura Stramonium*, 538
  Lethals, 592
Barley, see Hordeum
  Awns, 14, 25, 27, 28, 31
  Chlorophyll deficiencies, 2
  Colsess, 7
  Glume color, 13, 25–27, 30, 31
  Hoods, 14, 25, 27, 28, 31
  Inheritance
    Of characters, 4
    Of fertility of the lateral florets, 15
    Of simple Mendelian characters, 9
  Intermedium, 4
  Interrelations
    Of characters, 25
    Of chlorophyll deficiencies, 19
    Of chlorophyll deficiencies with other botanical characters, 30
    Of simple Mendelian characters, 17
  Linkage
    Relations, 6
    Studies, 1
  Manchuria, 4, 5
  Minnesota Selections, 7, 8
  Rachilla
    Haired, 15, 27, 29, 33
    Hair length, 26
  Seed, 14, 26, 29, 34
    Covering, 14, 26, 29, 34
  Seedlings, 30, 31, 33–35
    White
      In Colsess, 9
      In Trebi, 13
    Xantha in Colsess, 13
  Six-rowed, 27, 29, 35
  Svanhals, 4
  Trebi, 7
BARTLETT, J. M., 278, 281
BELLAMY, A. W., 161, 162, 178
BELLING, J., 181, 183, 307, 321, 323, 538, 542, 544, 545, 552, 560, 563
BERGNER, D., 567
Bernouilli series, 343, 344
Beta vulgaris, 40
BLAKESLEE, A. F., 219, 220, 301, 334, **538,** 539, 542, 544–547, 549, 552, 557, 559, 560, 562, 563, 566
BLEIER, H., 318
BOEDIJN, K., 617, 622, 623, 627
BOISSEVAIN, C. K., 44
BORDET, J., 38, 39
BORNAND, M., 39
Botanical Society of America, 488
BOUIN'S
  Modified fixing fluid, 606
  Modified mixture, 595
  Picro-formal-acetic, 606
BRANDT, A. E., 365
Brassica oleracea, 318
BRIDGES, C. B., 131, 134, 174, 181, 220, 224, 367, 368, 371, 377, 381, 382, 384–386, 391, 403, 404, 407, 413, 415, 416
BRIDGES' theory, 331
BRIEGER, F. G., 455, 482
BRINK, R. A., 270, 271, 274, 275, 277, 281-284, 569–571, 583, 586
Browalia speciosa, 41
BRUCE, A. B., 126
BRUNSON, A. M., 519, 521, 523–526
BRUNSON'S solution, 526
BUCHANAN, R. E., 365
BUCHHOLZ, J. T., 220, 334, **538,** 539, 546, 557, 559, 562, 563

BUCHNER, H., 38
BURNHAM, C. R., 270–275, 277, 282, 283, 583, 586
BURNSIDE, 520
Bussey Institution, 455

California, University of, 286
Campanula, 181
Canna, 181
CANTACUZÈNE, F., 44
Capsicum pyramidale, 41, 47, 51, 54, 65–68, 70, 71
  Extract, precipitin reaction of, 46
CARBONE, D., 40
CARD, L. E., 337, 338
Carnegie Institution of Washington, 538
CARNOY-LEBRUN'S
  Fixing fluid, 606
  Solution, 595
CARNOY solution, 307
CARTLEDGE, J. L., 549, 552, 563
CASTLE, W. E., 486
CHARKOVITCH, 44
CHARRIN, 38
Chickens
  American, 256, 257
  Asiatic, 256
  Barred Plymouth Rock, 256, 258, **259**, 260, **261**, 262–264, **265**-269
    Graft
      On a black Minorca host, 261
      On a brown Leghorn host, 265
  Campines, 259, 260, 267
  Feathering
    Differences in rate of, 257
    Factors influencing, **256**, 269
    Rate of on skin transplants, 258, 259
  Jersey Black Giants, 257, 258
  Leghorn, 256–260, 267, 268
  Mediterranean, 256, 261
  Minorcas, 259, 263, 264, 268
  Rhode Island Red, 256–262, 267–269
  Sex-linked hereditary trait, 269
Chicks, bacillary white diarrhea, 338
China Medical Board, 591
CHIPMAN, R. H., 286, 289, 292
CHRISTOFF, M., 83
Chromosome
  Chains, 594
  Circles, 624
  Fragmentation in tomato, 321
  Notes on the somatic chromosomes of the seven-chromosome group of Fragaria, 78
CLARK, W. M., 74
CLAUSEN, J., 318
CLAUSEN, R. E., 219, 286, 292, 301
CLELAND, R. E., 593, 594, 610, 611, 614, 615, 617, 618, 621, 622, 624–626, 628–630
COLE, L. J., 257
COLLINS, G. N., 217
COLLINS, J. L., 3, **305**
Complementary factors, **519**, **533**, 534
  Linked, 533

CONKLIN, E. G., 594, 595
Consanguineous marriage, **423**, **424**, **428**, **429**, 437–444, 445–447, 448, 451, 452
Corn, 578
Corn Starch, 578
Cornell University, 488
CORRENS, C., 216, 488, 494
Cotton Research Station, 519
Cotyledon Scheideckeri, 40
Cousin marriages, 428, 432, 433, 435, 449, 450
Crepis
  Achenes of, 314
  alpina, 317
  artificialis, 308, 309, **311**, 314–317, 319
    Chromosomes, 307
    Morphology, 310
    Origin, 306
    Triploid plant, 311
  aurea, 317
  biennis, **305**, 306, 308–311, 314–319
    Chromosomes, 316
  capillaris 317
  Comparison of characters of, 312, 313
  Conjugation of chromosomes, 305
  foetida, 317
  Interspecific hybrids, 305
  leontodontoides, 317
  multicaulis, 317
  parviflora, 305
  rubra, 305, 317
  setosa, 305–310, 314, 316, 319, 320
  sibirica, 317
  tingitana, 317
CREW, F. A. E., 168, 174
Crossing over, 592, 594
  And non-disjunction of X-rayed Drosophila pupae, 129
Cytological and genetical study of triploid maize, 180
Cytological study of meiosis in pollen mother cells of Oenotheras, 591

DAHLBERG, G., **421**, 423, 444
DANFORTH, C. H., **256**, 269
Dănysz bacillus in the rat
  Inheritance of resistance to, 337
  Minimum standard dose, 346
  Saline solution, 339
  Weight as a factor in resistance, 357
DARROW, G. M., 79
Datura, 40, 181, 219, 323, 326, 334, 562, 563
  Crosses
    Diploid×haploid, 553
    Diploid×tetraploid, 546
    Diploid×triploid, 552
    Tetraploid×diploid, 545
    Triploid×diploid, 547
  ferox, 41, 51–53, 56, 57, 65
  Globe trisomic, 334
  Grafted scions, 553
  Haploids, 561
  Pollen germination, 561
  Pseudo-reduction, 562

Stramonium, pollen-tube growth in crosses between balanced chromosomal types of 538
Tricarpel, 559
Wrightii, 41, 47, 48, 52, 53, 65, 67, 69, 71
DAVIS, B. M., 610, 614, 622, 624, 626, 630
DEMEREC, M., 100, 272, 488, 490, 506
DEMING, G. W., 1
DENNIS, F., 490
Developmental selection, 563
Diastase, 570
Diastatic
Activity, 583, 584
Power, 586
Of water, 574
DIGBY, L., 607, 622
Diptera, 81
DOBZHANSKY, T., 414
DOMM, L. V., 266
DREER, 480
Drosophila, 253, 377, 408, 562, 594, 629
Abdomen of a Delta Minute-h combination, 397
Allelomorphs, modifiers of Minute, 418
Beaded wings, 592
Combination
Delta-Minute, 395
Pale-III and Delta Hairless,^{2} 408
In triploids, 389
Combinations
Delta, Hairless and Minutes, 405
Minute and Minute-h, 389
The Minutes, 371–377
Three Minutes, 380
Triplo-IV, 382
Crosses
Minute-IV males to normal triploids, 386
Triplo-IV to Delta, Delta,^{2} and Delta Hairless,^{2} 407
Triploids to wild-type males, 386
Curly, 378, 379, 383
Death of triploids and intersexes, 387, 388
Delta, 368, 407–409
And its allelomorphs, 391
Hairless, 406
Hairless,^{2} 406–408
Development of Minute-h, Minute-l, 380
Dichaete Minute, 383, 413
Diplo-IV, 386, 387
Dominance in triploids, 385
Dominants, 369
Lethal when homozygous 369
Duplications of Minutes, 381
Effect
Delta^4 upon Minutes, 402
Delta^2 upon Minutes lethal with Delta, 400
Delta^2 upon Minutes not lethal with Delta 401
Jammed upon Minutes, 409–412
Effects
Delta^2 and Delta,^{4} 398
Hairless and Star upon Delta Minutes, 403
Genetic modifiers of Minutes, 391
Hairless, 383
Haplo-IV, 381, 385, 386, **404**, 407, 408, 413, 415, 418
In combination with Delta, 406
Jammed
Effect, 409–412
And other modifiers of Minutes, 409
Length
Minute, 414
Normal bristles, 414
melanogaster, 2, 171, 417
Minute reaction, 366, 415
Minute, 367, 368, 383, 413
Minute-dII, 380
Minute-dIII, 380
Minute-g—380
Minute-h, 379, 387, 388, 404
Hairless, 387, 389
Minute-j, 413, 414
Minute-l, 415
Minute-w, 387–389, 404
Minute-z, 379, 413
Minute-28, 379, 389
Minute-IV, 381, 385–387, 395, 406, 415, 417
Minutes
Lethal with Delta, 392–394
Not lethal with Delta, 396
Recessive in triploids and intersexes, 383
Modifiers improve viability of Delta-Minute, 418
Mutants, 369
From the non-Minute classes, 383
Non-cumulative effect in triploids and intersexes, 390
Non-lethal effect of Delta^3 upon Minute-w, 399
Non-Minute class, 378
Notch-19, 413
Other modifiers of Minutes, 409
Pale-III, 381, 382, 408, 417
Plexate, 413
Pointed wing, 413
Primary reactions of the Minutes, 370
Pupae, the effect on crossing over and non-disjunction of X-raying the anterior and posterior halves of, 129
Quantitative differences among the Minutes, 414
Ratio of intersexes to females, 386
Ratio of triploids to males, 386
Secondary nature of reaction between Delta and Minutes, 408
Stubble, 368, 378, 383
Triplo-IV, 381, 382, 385, 407, 408, 417
Viability of Minutes, 413, 418
virilis, 506
Wing, 403
DUNGERN, VON, 38
Duplicate factors, **527, 533,** 534
Linked, 533
DURHAM, 38

East, E. M., 41, 78, 115, 216, 302, **455**, 483
Ehrhart, F., 78,
Ehrlich, 66
Eisler. M., von, 40
Elderton, 523, 524
Emerson, R. A., 216, 273, **488**, 489
Emerson's formula, 519
Emerson, S. H., 618
Empire Cotton Growing Corporation, 519
Enzyme difference associated with the waxy gene in maize, 569
Enzymes, 571
Essenberg, J. M., 168
Etter, A., 78
Euchlaena, 181
Eupagurus prideauxii, 44
Eyster, W. H., 488, 489, 492, 508

Factors
  Complementary, **519, 533,** 534
  Duplicate, **527, 533,** 534
  Influencing feathering in chickens, 256
Factors linked
  Complementary, 533
  Duplicate, 533
Farmer, J. B., 622
Farnham, M. E., 538, 560
Farquhar, 480
Federley, H., 302, 421
Ferry, 480
Fisher, A., 343, 344
Fisher, R. A., 86, 90, 341, 343, 345, 519–521 524
Fisk, E. L., 81, 83, 180
Flemming's fixing fluid, 595, 606
Forssmann, J., 66
Francis Hinton Maule Fellowship 591
Fragaria
  Association of chromosome homologs, 81
  bracteata, 78
  californica, 78
  chiloensis, 79
  collina, 78, 79, 83
  Duchesnea, 78
  maxima, 78, 79, 83
  mexicana, 78
  nilgerrensis, 78, 79, 83
  Notes on the somatic chromosomes of the seven-chromosome group, 78
  Size relationships among the chromosomes, 81
  Somatic chromosomes of the seven-chromosome group of, 78
  vesca, 78, 79
  virginiana, 79
Fraser, A. C., 160
Frateur, J., 338
Freund, J., 74
Friedenthal, H., 39
Frost, H. B., 219, 326

Gaethgens, W., 43
Gager, C. S., 220
Gairdner, J., 181
Galli-Valerio, 39
Gamaleia, N. F., 66
Gamete lethals, 594
Gametophytic selection, 564, 565
Garber, R. J., 4–6
Garrison, H. S., 109
Gasis, D., 39
Gates, R. R., 323, 594, 610, 618, 623, 624
Gay, F. P., 66
Geerts, J. M., 622
Genetic equilibrium and selection, 85
  Artificial selection, 105
  Complex breeding, 114
  Incidental selection, 120
  Linkage, 98
  Multiple factors, 98
  Mutation, 87
  Natural selection, 89
  Random-fertilization, 94
  Reproduction versus production, 87
  Selection, 85
  Self-fertilization, 91
  Simple selection, 106
Gerhardt, F., 273, 274, 282
Gillette, C. P., 1
Glucose, 572, **573,** 574, 575, 579, 581, 583, 584
  Formation, 580, 582
Godetia
  amoena, 626
  Whitneyi, 626
Goebel, W. F., 66
Goldschmidt, R., 390, 415, 484–486
Goodale, H. D., 174, 266
Goodspeed, T. H., 219, 286, 289, 292, 293, 301, 318
Gordon, M., **160**–162
Gotoh, K., 183
Grafting, acquired immunity in plants, 37
Gray Herbarium, 479
Griffee, F., 2, 5, 6
Gruber, 38
Gypsy moth, 485

Hagedoorn, A. L., 86, 337
Hagedoorn-LaBrand, A. C., 337
Hagiwara, T., 224, 227, 231, 232, 239, 242, 243 246
Haidenhain's iron-alum haematoxylin, 307, 606
Håkansson, A., 594, 611, 623, 626
Haldane, J. B. S., 90, 94, 174, 421
Hallqvist, C., 3
Hance, R. T., 174, 617, 627
Haploids, Datura, 561
Haploid
  ×Diploid crosses, 557
  ×Haploid crosses, 556
  Plants, pollen of, 552
  ×Tetraploid crosses, 557
Hardy, G. H., 89, 94
Harlan, H. V., 7, 8, 15
Harvard University, 455
Hashimoto, K., 223
Hayes, H. K., 1, 4–6, 15, 216, 489
Heilderberger, M., 66

Helminthosporium sativum, 6
Hemerocallis, 181
Heterotypic prophase, 608
HEUER, G., 44
HOLLINGSHEAD, L., 305
HOR, K. S., 5, 6
Hordeum
  deficiens nudideficiens, 7, 8
  deficiens steudelii, 5
  distichon nigrinudum, 7, 8
  Linkage studies in barley, 1
HORNER, 520, 532
HORNER'S method, 520, 532
HULKRANTZ, J. W., 421, 423, 444
HULTON, H. F. E., 572, 579
HUTCHINSON, J. B., 519
Hyacinthus, 181
Hydrolysis, 571–573, 584

ICHIJIMA, K., 78, 81
ILLICK, J. T., 591
IMAI, Y., **223**, 224, 226–229, 231, 236, 238, 240, 242, 243, 246–248, 251, 253
Immunity, acquired
  Absorption, 42
  Acquired precipitins, 48
  Antigen-antibody reaction, 66
  Behavior of plant precipitin and antigen, 61
  Grafting, 42
  Normal precipitins, 43
  In plants, 37
  Testing the precipitin reaction, 43
Inbred stock of rats, percentage mortalities in a pen, 340
Inbreeding
  In man, 421
  Results of, in rats, 359
Inheritance,
  Of pubescence in soy beans and its relation to pod color, 512
  Of resistance to the Danysz bacillus in the rat, 337
Interkinesis, heterotypic, 619
International Congress of Eugenics, 593
Interovular selection, 563, 564
Interspecific hybrids in Crepis, 305
Iodimetric method, 579
Iodine, 569
Iowa State College, 337
IRWIN, I. R., 337
ISAEFF, 38
ISHIKAWA, M., 252
Isomaltose, 570
IWANOFF, 38

JACOBY, M., 39
JENNINGS, H. S., 90
JONES, D. F., 98
JORGENSEN, C. A., 318
JOSEPH HENRY Fund, National Academy of Sciences, 538

KANAHARA, S., 40
KARASAWA, M., 39
KARPECHENKO, G. D., 301, 318
Karyosomes, 607
KEEBLE, F., 571
KEMP, W. B., 85
KEZER, A., 1
KIESSELBACH, T. A., 180
Killifish, see Platypoecilus
KING, H. D., 338
KNOX, C. W., 338
KORINEK, J., 40
KOWARSKY, F., 39
KRAUS, R., 39
KRITCHEWSKY, J. L., 40
KRUSE, W., 38
KUWADA, Y., 180
KYLE, C. H., 109

Lactuca, 623
LAMBERT, W. V. 338
LAMMERTS, W., 286
LAMPL, H., 63
LANDSTEINER, K., 38–40, 44, 63
LATTER, J., 623
Lebistes reticulatus, 170, 173
Lens, 40
LENZ, F., 422, 429, 444, 446
LESCHKE, E., 39
LESLEY, J. W., 219, 220, **321**, 330
LESLEY, M. M., **321**, 326
Lethals
  Gamete, 594
  Zygote, 594
LEWIS, P. A., 338
Lexian ratio, 343
LEXIS, 343, 352
LI, J. C., 419
Lilium Martagon, 622
LILLIE, F. R., 268
LINDSTROM, E. W., 116, 273, 274, 282, 365, 504 515
Linkage
  Application of the maximum likelihood to estimation of, 519
  Groups of morning glory, 223
  Studies in barley, 1
LIPPINCOTT, W. A., 257
LJUNGDAHL, H., 318
LOEB, L., 44
LONGLEY, A. E., 78, 180, 181, 201, 316
LUI, 40
LUTZ, A. M., 323
Lycium Barbarum, 41, 47, 51, 52, 65
  Extract precipitin reaction of, 46
Lycopersicum, 181, 219

MCCLINTOCK, B., 178, **180**, 183
MCCLUNG, 606
MACGILLIVRAY, J. H., 272
MAGNUS, W., 39
Maize, 571, 581, 582
  Additive effects on metabolism, 281
  Calico, 510
  Crude fat, 276
    Comparative amounts of, 274

Comparative values of, 275
Properties of, 279
Cytological and genetical study of triploid, 180
Enzyme difference associated with the waxy gene in, 569
Frequency of somatic mutation in variegated pericarp, 488
Modifying genes, **506**, 510
Self color, 510
Variegated, **503**, 510
And white parents, 503
Variegation gene, 510
Waxy and sugary genes, **270**, 276, 281
Waxy ratio, 270
Modification of, 270
White, 510
Maltose, 571
Man, inbreeding in, 421
MANGELSDORF, A. J., 78, 79, 83, 455
MANN, M. C., 219, 305
MANN-LESLEY, M., 181
MARCHAL, E., 308
MARTINI, M. L., 7
Matthiola, 219, 326
Snowflake, 326
MAVOR, J. W., **129-131**, 134, 150, 151, 158
Maximum Likelihood
Equation, 523, 530
Solution, 526, 531
Method applied to estimation of linkage, 519
Max Levy counting chamber, 339
MAYER, L. S., 122
Megaspore, 335
Megasporogenesis of tetraploid plants, 544
Meiosis in pollen mother cells of Oenotheras, 591
MENDEL, 89
METCHNIKOFF, 38
METZ, C. W., 81, 181
MEYER, K., 65
MEZ, C., 39, 43, 57
Microsporogenesis of tetraploids, 544
Mirabilis, 494, 495
Mitosis, homotypic, 620
MIYAKE, K., 223, 228, 251, 253
MIYAZAWA, B., 229, 235, 242, 243
MOKRZECKI, S. A., 43
MOHR, O. L., 415
MONTGOMERY, T. H., 609
MORGAN, T. H., 131, 175, 224, 367, 368, 371, 381, 382, 391, 403, 407, 413, 415
MORGAN, L. V., 181, 220
MORGENROTH, 66
Morning glory
Contracted, 228
Interaxil-green, 231
Linkage groups, **223**, 253, 254
Acuminate, 229
Cordate, 227
Delicate, 246
Duplicated, 251
Botan, 251
Pear, 246
Rayed, 247
Speckled, 243
Variegated, 224
Yellow, 229
Sasa leaf, 246
MORRISON, G., 301, 562, 563, 566
MORSE, W. J., 513
Morus, 181
MOTTIER, D. M., 622
MÜLLER, A., 40, 55
MÜLLER, CL., 81
MULLER, H. J., 368, 562, 592
Mutability, 495
Mutation
Theory, 591
In tomato, 321
In variegated pericarp of maize, 488

NAGAI, I., 512, 513, 516
NAVASHIN, M., 308, 316, 317
NAVASCHIN'S modified solution, 287
NAY, W., 39
NEATBY, K. W., 6
NEWTON, W. C. F., 81, 83
Nicotiana, 219
affinis, 456, 460, 462, 467
alata, 37, 41, 53, 58–61, 480
alata grandiflora, 455, 456, 479, 480, 487
Chromosome numbers, 286
Clevelandii, 479
Corolla-color factor C, 455
digluta, 318
Drosera scheme, 286, 302
Forgetiana, 455, 479
glauca, 37, 41, 51–54, 58–61, 65–68, 70–72
glutinosa, 318
Hybridization in, 286
Langsdorffii, 37, 41, 48, 52, 53, 58–61, 70, 73, 483
longiflora, 42
paniculata, 58–61, 286, 287, **288**, 290–292, 293, 294–296, 298–303
paniculata-rustica hybrid, cytology of, **286**, 287
pumila, 287
quadrivalvis, 42, 53, 65
Rusbyi, 37, 41, 42, 48, 50, 52, 54, 56–65
Extract, precipitin reaction of, 47, 48
rustica, 37, 41, 42, 50–54, 56–65, 69, 71–73, 286–**288**, 290, 292, **293**–303
var. *brasilia*, 42, 54
var. *humilis*, 42, 54, 60
var. *texana*, 42, 60
Sanderae, 42, 51, 52, 56, 57, 70–72, 455, 456, 461, 463, 464, 479, 480, 487
Selective elimination of gametes, 302
Self-sterility, 455
Allelomorphs, 455
Sterility of interspecific hybrids, 302
suaveolens, 42
sylvestris, 301, 302
Tabacum, 37, 41, 42, 52, 53, 56, 58–61, 65, 67, 71, 72, 301

tomentosa, 301,
NILSSON-EHLE, H., 3, 10
NISHIMURA, T., 226, 227, 231,
NOGUCHI, H., 44
Non-disjunction, 544
  Of Drosophila pupae, 129
NUTTAL, G., 38, 39

OBERMAYER, F., 63
Ocular, 539
Oenothera, 591, 592, 594, 595, 609, 611, 618, 620, 622
  Agari, 625
  biennis, 592, 614, 615, 618, 624
  biennis sulfurea, 624, 626
  brevistylis, 592, 629
  bullata, 592
  Crossing over, 624
  Cytological study of meiosis in pollen mother cells, 591
  decipiens, 602, 604, 615–617, 624, 627, 631
  deserens, 602, 615, 624, 625, 631
  franciscana, 626, 627
  franciscana sulfurea, 600, 614, 618, 619, 624 630
  gaudens, 592
  grandiflora, 598, 600, 602, 604, 614–617, 619 624, 626, 627, 630, 631
  Heterotypic
    Anaphase, 617
    Interkinesis, 619
    Metaphase, 617
    Telophase, 619
  Homotypic mitosis, 620
  Hookeri, 593
  laeta velutina, 592
  Lamarckiana, 591, 592, 595, 596, 606, 613, 618, 625, 629, 630, 632
  lata, 323
  lata-semilata, 323
  muricata, 592, 625, 627
  nanella, 594
  novae-scotiae, 625
  pervirens, 595, 598, 613, 617, 624, 625, 627, 630
  pratincola, 602, 615, 631
  Problem, 591
  rubricalyx, 593, 594, 625
  rubricalyx sulfurea, 595, 598, 614, 630
  rubrinervis, 615, 624, 625, 631
  scintillans, 617, 627
  semilata, 323
  species, 595, 612, 613
  suaveolens, 593, 600, 614, 630
  supplena, 592
  syrticola, 592
  velans, 592
  velaurea, 592, 629
OHGA, 252
ONSLOW, H., 571
OSAWA, I., 181
Osazone test, 572, 579
Osmunda, 607
OVERTON, J. B., 81
Ovules, 564
OWEN, F. V., 512, 513

PANSINI, S., 38
PANTON, 520
Papaver nudicaule, 318
Papaver striatocarpum, 318
Parasynapsis, 609
Paratyphoid-enteritidis group, 364
PARK, J. B., 483
Parthenogenesis, 564
PEARL, R., 278, 281
PEARSON, K., 89, 94, 496
PELLEW, C., 127
Percentage mortalities in inbred rats, 340
Percicarp of maize, frequency of somatic mutation in variegated, 488
Peripatus balfouri, 609
PETERSEN, N. F., 180
Petunia violacea, 41
Pharbitis Nil, see morning glory
Phaseolus, 40
Phenylhydrazine derivatives, 570
Physalis peruviana, 41, 47
  Extract, precipitin reaction of, 45, 47
PICK, E. P., 63, 65
Pisum, 40
Platypoecilus,
  Chromosomes, 178
  Crosses of gold and red, 163
  Crossing over, 168
  Exceptional female, 166
  Linkage of sex-linked characters, 160
  maculatus, 161, 162, 177, 178
  Mutation, 167
  Non-disjunction, 167
  Parent races true-breeding, 163
  Sex reversal, 168
PLOUGH, H. H., 131, 594
PLUNKETT, C. R., 404, 413
Pod color, inheritance of pubescence in soy beans and its relation to, 512
Poisson series, 343
Pollen
  Amylase of waxy and non-waxy, 577
  Extracts, 578
  Germination, Datura, 561
  Grains, non-germinating, 562
  Haploid plants, 552
  Mother cells of Oenotheras, meiosis in 591
Pollen tube
  Abnormal, 557
  Distribution in styles, 554
  Growth
    Conditions influencing, 557
    In crosses between balanced chromosomal types of *Datura Stramonium*, 538
    In tetraploid Datura plants, 544
    In triploid plants, 551
  Penetration of, 557
POPE, M. M., 7
PORTHEIM, L. VON., 40
Potato, 571–573, 574, 576, 579, 580
  Starch, 578

Precipitin reaction
Capsicum pyramidale extract, 46
Lycium Barbarum extract, 46
Nicotiana Rusbyi extract, 47, 48
Physalis peruviana extract, 45
Salpiglossis sinuata extract, 45
Solanum Dulcamara extract, 45
Solanum Lycopersicum extract, 46
Solanum nigrum extract, 44
Primula
floribunda, 318
Kewensis, 318, 319
verticillata, 318
Princeton University, 591
PRITCHETT, I. L., 338
Prochromosomes, 607
Prophase, 612
Pseudomonas citri, 41
Pubescence in soy beans and its relation to pod color, inheritance of, 512

RANDOLPH, F. R., 489
RANDOLPH, L. F., 180, 181, 183, 201
Raphanus sativus, 318
Rat
Hybrid stocks, 351
Inheritance of resistance to the Danysz bacillus in the, 337
Parent strains, 351
Passive immunity, 353
Population injected, 346
Reciprocal crosses, 354
Selection for resistance, 347
Stocks selected for resistance, 350
Type of dispersion, 345, 352
Rats, 338, 339
Danysz bacillus, 338
Differing in hereditary composition, 348
Given different doses of the organism, 345
Mortality, 339-342, 347, 348, 360, 361, 363
Percentage mortalities, 339, 340, 342, 347, 348, 355
In a pen inbred stock of, 340
Resistance, 347, 350, 358, 364
Results of inbreeding, 359
Variance due largely to causes among the samples, 346
Weights of the resistant and susceptible individuals in stocks, 358
Rattus norvegicus, 338
RAUBITSCHEK, H., 40
REDFIELD, H., 367, 382
REES, E. M., 623
REESER, 39
REEVES, R. G., 181, 183
REICH, M., 44
REICHERT, E. T., 71
REMICK, B. L., 90
RENNER, O., 592, 593
Resistance to the Danysz bacillus in the rat 337
REUTLINGER, W., 429
RICHEY, F. D., 109, 122
RIDGWAY, R., 13
RIDGWAY'S color chart, 162

RIETZ, H. L., 343
ROSENBERG, O., 302, 308, 317
ROBBINS, R. B., 90, 98
ROBERTS, E., 337, 338
ROBERTSON, D. W., 1
ROBERTSON, T. B., 66
RODOLFO, A., 588
ROGER, 38
ROSENBLAT-LIECHTENSTEIN, 39
Rothamsted Experiment Station, 519
ROTHGEB, 109
RUMBOLD, C., 43

SAITO, S., 512, 513, 516
SAKAMURA, T., 183, 201
Salpiglossis sinuata, 41, 47, 53
Extract, precipitin reaction of, 45
SARDINA, J. R., 40
SCHMIDT, J., 170
SCHNEIDER, E. C. 40
SCHULTZ, J., 366
SCHWARZ, O., 65
Segregation, soy bean, 531
Selection
Developmental, 563
And genetic equilibrium, 85
Interovular, 563, 564
For resistance in rat, 347
Selective elimination, 564
Self-sterility, 455
Allelomorphs, 455
SEREBROVSKY, A. S., 174, 257, 267
SETCHELL, W. A., 287
Sex, influence of on resistance, 355
Sexes, percentage mortality by, 355
Sex-linked
Characters in Platypoecilus, 160
Heredity in chickens, 269
SHARP, L. W., 221, 626
SHEFFIELD, F. M. L., 625
SHEWIRJEFF, J., 42
SHULL, G. H., 115, 591-595, 614, 615, 618, 621, 624, 625, 628, 629
SNEDECOR, G. W., 344
So, M., 226, 227, 231
Solanaceae, acquired immunity in plants, 37
Solanum
Dulcamara, 41
Precipitin reaction of extract, 45
luteum, 318
Lycopersicum, 41, 51-53, 65, 72
Precipitin reaction of extract, 46
Melongena, 41, 53, 65, 72
nigrum, 41, 47, 48, 53, 65, 71, 72, 318
Precipitin reaction of extract, 44
tuberosum, 40, 41, 51, 53, 54, 60, 61, 65, 69-71
Somatic chromosomes of the seven-chromosome group of Fragaria, 78
Soy bean
Glabrous, 512, 513
Medium Green, 513
Segregation, 531
Soy beans
Inheritance of pubescence and pod color, 512

Pod color, 512, 516
Pubescence, 516
Relation between pod color and presence or absence of pubescence, 516
SPILLMAN, W. J., 257
Spinacia oleracea, 83
SPINDLER, A., 454
Spireme, 610
SPRAY, R. W., 338
STAPP, C., 76
Starch
Corn, 578
Potato, 578
Synthesis, 571, 588
STERN, C., 134, 171, 367, 377, 384, 413, 416
STEVENSON, F. J., 1
STEWART, R. T., 512, 515, 516
STOMPS, T. J., 81, 83
STONEBERG, H. F., 109
STRASBURGER, E., 81
Strawberry, somatic chromosomes, 78
STURTEVANT, A. H., 131, 224, 367, 368, 371, 381, 382, 404, 407, 413, 415
Styles, pollen-tube distribution in, 554
SVENSON, H. K., 129
Synizesis, **608**, 609, 611, **621**

TAKEZAKI, Y., 223, 231, 232, 242
Tally counters, 539
TAYLOR, 595
TCHISTOWITCH, T., 39
TEDIN, H., 5, 6
TEDIN, O., 5, 6
Telosynapsis, 624
Temperature experiments, 594
Tetraploid
Datura plants, pollen-tube growth in, 544
×Diploid crosses, 545
×Haploid crosses, 553
THOMAS, N., 323
Tomato
Anaphase, 326, 332
Cell division, 322, 324
Chromosome fragment, 331
Chromosome fragmentation and mutation in 321
Chromosome fragments in pollen mother cells, 331
Cross of triploid, 330
Diakinesis, 331, 332, 335
Diploid, 321, 323, 326–328, 330–332, 334, 335
Mutant, 330
Dwarf Aristocrat, 329
Double-trisomic, 321, 323, 326, 330
×Triploid, 335
Dwarf Aristocrat, 326–328, 330
Dwarf Champion, 327
Haploid, 321
Loculi, 331
Metaphase, 326, 332
Mutants containing additional chromosome fragments, 325
Pollen
Mother cells, 321
Sterility, 334
Primary
Mutants, Dwarf Aristocrat, 329
Simple trisomics, 327, 334, 335
Triplo-C, 327
Trisomic, 323, 327, 331
Progenies of mutants containing additional chromosome fragments, 333
Progeny of trisomics, 334
Secondaries, 328
Of triplo-C, 331, 334
Secondary
Mutants, **326**, **328**, 329, **330**
Triplo-C, 331
Triplo-D, 331
Seedless loculi, 327, 328
Seedy loculi, 327, 328
Simple-trisomic, 321
Mutants, 331
Telophase, 332
Nuclei, 334
Tetrasomic, 334
Secondaries, 327, 328, 330–332, 335
Tetravalent, 332
Triplo-A, 330
Triplo-C, 327, 328, 335
Triplo-D, 330
Triplo-G, 330
Triploid, 321, 323
×Diploid, 335
Dwarf Aristocrat, 328
Trisomic, 321, 327, 330
Secondary, 327, 331, 334, 335
Trivalent, 332
Triploid
×Diploid crosses, 547
×Haploid crosses, 556
Plants, pollen-tube growth in, 551
×Tetraploid crosses, 547
TSCHERMAK, E., 318
TYZZER, E. E., 337

UHLENHUTH, P., 39, 43
United States Department of Agriculture, **479**, 513
University of California, 321
University of Illinois, 512, 538
University of Nanking, 591, 595
University of Pennsylvania, 595
University of Wisconsin, **569**, 588
Uvularia, 323, 326

VAN ESELTINE, G. P., 317
Variegation gene, 495
Vaughan, 480
VEATCH, C., 512
VEIDEMAN, M., 5
Vernier, 539
Vicia, 40
VEGLIANO, I. C., 40
Viola arvensis, 318
Viola hyperchromatica, 318
Viola tricolor, 318

DE VRIES, H., 591, 592, 624

WAGNER, R. J., 40
WAHLUND, S., 421
WALLACE, H. A., 344
WARD, L., 368
WARREN, D. C., 257, 258, 267
WASSERMANN, A., 39
WASSINA, E. T., 257
Water, diastatic, 574
Waxy gene in maize, enzyme difference associated with the, 569
WEBSTER, L. T., 337, 338
WEIDANZ, 76
WEINBERG, W., 443, 444
WEINSTEIN, A., 224
WENTWORTH, E. N., 90
WENTZ, J. B., 512, 513, 515, 516
WERKMAN, C. H., 365
Western Reserve Medical School, 591
WHELDALE, M., 571
WHITE, B., 41
WHITING, P. W., 594
WIEBE, G. A., 2
WILENKO, M., 40
WILLIER, J. G., 109
WINGE, O., 170, 173–175
WINKLER, H., 42
WOODWORTH, C. M., **512**, 515, 527–531
WRIGHT, S., 86, 89, 90, 93, 338, 366, 415
WULZ, G., 428

X-raying Drosophila pupae, 129

YAMAGUCHI, Y., 246
YARNELL, S. H., 78, 455
YERMOLJEWA, Z. W., 66

ZADE, 39
Zea mays, 40, 81, 181, 220
  Brief résumé of meiotic behavior in diploid individuals, 182
  Chromatin extrusion in sporogenous tissue, 200
  Cytological and genetical study of triploid maize, 180
  Genetic investigations, 214
  Irregular synapsis, 213
  Meiosis in, 183, 205, 206, 209, 212
    Triploid, 183
  Plasmodial sporogenous tissue, 199
  Triploid plant, 213
  Unusual meiotic phenomena in, 209
ZIEGENSPECK, H., 39
ZIRKLE, C., 41
Zygote, lethals, 594